

L Number	Hits	Search Text	DB	Time stamp
-	2	6006265.pn.	USPAT;	2002/08/15 22:46
			DERWENT;	
			IBM_TDB	
-	9	("5583997" "5586259" "5659685"	USPAT	2002/08/15 18:43
		"5675507" "5740231" "5761415"		
1		"5802316" "5809512" "5815664").PN.		
-	41	Rangan.inv.	USPAT;	2002/08/15 18:44
			DERWENT;	
			IBM_TDB	
_	3	Rangan.inv. and 725/\$.ccls.	USPAT;	2002/08/15 18:44
			DERWENT;	
	7	B 700/0	IBM_TDB	2002/00/15 10-27
_	· · · · · · · · · · · · · · · · · · ·	Rangan.inv. and 709/\$.ccls.	USPAT; DERWENT;	2002/08/15 19:27
			IBM TDB	
1_	2	5990927.pn.	USPAT;	2002/08/15 19:27
-		3990927.pii.	DERWENT;	2002/08/13 19.27
			IBM TDB	-
1_	502	(generat\$3 or creat\$3) with (interactive	USPAT;	2002/08/15 22:49
1.	302	near2 (link\$3 or display\$3 or screen\$1))	DERWENT;	2002,00,13 22.49
1		description of arbitrary of porcounting	IBM TDB	
-	17218	(725/\$ or 709/\$).ccls.	USPAT;	2002/08/15 22:49
		(1237)	DERWENT;	
1			IBM TDB	
_	72	((generat\$3 or creat\$3)with (interactive	USPAT;	2002/08/15 22:51
		<pre>near2 (link\$3 or display\$3 or screen\$1)))</pre>	DERWENT;	ļ
		and ((725/\$ or 709/\$).ccls.) and	IBM_TDB	1
		(@ad<=19990803 or @rlad<=19990803)		
-	58	(TV or television or video) and	USPAT;	2002/08/16 14:41
		(((generat\$3 or creat\$3)with (interactive	DERWENT;	
		near2 (link\$3 or display\$3 or screen\$1)))	IBM_TDB	
		and ((725/\$ or 709/\$).ccls.) and		
	11	(@ad<=19990803 or @rlad<=19990803))	HCDAM	2002/00/16 14:22
-	11	("4506383" "4591906" "4630108" "4750036" "4897714" "4926256"	USPAT	2002/08/16 14:22
		4750036		
		"5237688" "5327554").PN.		
-	28	(725/47,113).ccls. and (@ad<=19990803 or	USPAT;	2003/02/07 14:18
		@rlad<=19990803)	DERWENT;	
	Ì		IBM TDB	
_	46	("4305131" "4766581" "4947244"	USPĀT	2002/08/16 14:50
		"5319455" "5412415" "5517257"		
		"5526035" "5534941" "5544354"		
		"5550578" "5554980" "5555244"		1
		"5557316" "5589945" "5600368"		
		"5619249" "5648824" "5654748"		
		"5682511" "5687331" "5721829"		
		"5748499" "5751282" "5758258"		1
		"5758259" "5781228" "5790115" "5815145" "5818439" "5828370"		
		"5815145" "5818439" "5828370" "5835087" "5857190" "5874985"	1	
1		"5959621" "5959697" "5971849"		
		"6020912" "6025837" "6075526"		
	· ·	"6097441" "6118450" "6137539"		
		"6151059" "6104390" "6195692"		
		"6233736").PN.		
-	3	("5596373" "5694176" "5737030").PN.	USPAT	2002/08/16 15:20
-	· 11	("5416508" "5418576" "5438355"	USPAT	2002/08/16 15:21
		"5570295" "5572643" "5625781"		
		"5640193" "5694163" "5708845"		
L		"5761606" "5774664").PN.		

Page 1

_	100	("D301037" "D3	314383"	"D325581"	I	USPAT	2002/08/16 15:34
		"D329238" "D33	31760"	"3891792"			
		"4361848" "436	9225"	"4488179"			
		"4517598" "458	37520"	"4605964"			
		"4688218" "469	4490"	"4697209"			
1		"4706121" "471	.2105" i	"4724491"			
		"4792972" "482	.9558" i	"4829569"			
·		l '	6736" i	"4928168"			
			9187"	"4959810"			
		· ·	55825"	"4975951"			
			1554"	"5014125"			9
			0129"	"5027400"			
		, •	86537" J	"5046093"			
			7607" I	"5078019"			
			5268"	"5132789"			
		· ·	3079"	"5144663"			
		'	1782"	"5151789"			
İ		,	56886 "	"5172413"			
		·					
			2817"	"5206954"			
		·	3924"	"5237311"			
			3275"	"5260778"			
	}	· ·	35272"	"5289271"			
			9455"	"5319707"			
		·	7554"	"5339315"			
		· ·	3239"	"5345594"		İ	
		·	3121"	"5355162"			
		· ·	57571"	"5375068"			
		"5400401" "540	4393"	"5410326"			
			.2416"	"5414426"			
		"5416508" "543	2542"	"5442626"			
		"5446919" "546	9206"	"5473362"			
		"5477263" "547	9268"	"5481294"			
		"5481296" "548	1542"	"5483278"			
		"5515098").PN.					
-	319	(725/44,50,60-61	,112-11	3,132,136,14	10,152).c	CUSPAT;	2002/08/16 15:58
		and (@ad<=199908	03 or @	rlad<=199908	303)	DERWENT;	
					•	IBM TDB	
_	99269	(generat\$3 or cr	eat\$3 o	r modify\$3	or	USPAT;	2002/08/16 16:03
		modifies or cust		-		DERWENT;	
		(interactive or				IBM TDB	
		graphic\$3)					
_	146	((725/44,50,60-6	1.112-1	13, 132, 136, 1	40.152)	ተለጉዋልጥ :	2002/08/16 16:08
		and (@ad<=199908				DERWENT;	2002,00,10 10.00
		and ((generat\$3				IBM TDB	
		modifies or cust				156-155	
		(interactive or					
1_	35	dwaphocswebs4 or				HCDATT.	2002/08/16 16:10
	35	url\$1) and	intern	er or prowse	:1 01	USPAT;	2002/00/10 10:10
			61 110	.112 122 126	140 150	DERWENT;	
		(((725/44,50,60-				đ®Ms_TDB	
		and (@ad<=199908					
		and ((generat\$3]
		modifies or cust					
	100	(interactive or					2000/00/10 12 55
-	103	¢czphí¢\$3òr)gene				USPAT;	2002/08/16 18:23
		customiz\$4 or ed				DERWENT;	
		or graphic\$1 or				IBM_TDB	
-	90	((creat\$3 or gen				USPAT;	2002/08/16 18:31
		customiz\$4 or ed				DERWENT;	
		or graphic\$1 or				IBM_TDB	
		and (@ad<=199908					
-	7	((creat\$3 or gen				USPAT;	2002/08/16 18:20
		customiz\$4 or ed				DERWENT;	
		or graphic\$1 or				IBM_TDB	
		and (@ad<=199908		rlad<=199908	803) and		
		(725/\$ or 709/\$)					
-	108	(creat\$3 or gene				USPAT;	2002/08/16 18:31
		customiz\$4 or ed				DERWENT;	
		or graphic\$1 or				IBM_TDB	
		(hyperlink\$1 or					
		~ ^					

_	73	(TV or television or video or web\$4 or www or internet browser) and ((creat\$3 or generat\$3 or modify\$3 or customiz\$4 or edit\$3) with ((interactive or graphic\$1 or selectable) near3 (hyperlink\$1 or	USPAT; DERWENT; IBM_TDB	2002/08/16 18:31
_	64	link\$1))) ((TV or television or video or web\$4 or www or internet browser) and ((creat\$3 or generat\$3 or modify\$3 or customiz\$4 or edit\$3) with ((interactive or graphic\$1 or selectable) near3 (hyperlink\$1 or link\$1)))) and (@ad<=19990803 or @rlad<=19990803)	USPAT; DERWENT; IBM_TDB	2002/08/16 18:32
-	2	5798785.pn.	USPAT; DERWENT; IBM TDB	2002/08/19 14:30
-	2	5164831.pn.	USPAT; DERWENT; IBM TDB	2002/08/19 14:35
-	2	5577190.pn.	USPAT; DERWENT; IBM TDB	2002/08/19 15:00
-	1	Boyer.inv. and 'main facility'	USPAT; DERWENT; IBM TDB	2002/08/19 15:00
-	11	("5589892" "5596373" "5629733" "5692214" "5721827" "5790202" "5828839" "5828945" "5850218" "6002394" "6052145").PN.	USPAT	2002/08/19 15:00
	60	Cooper.inv. and interactive	USPAT; DERWENT; IBM TDB	2002/08/19 15:54
_	9	Cooper.inv. and (interactive with (generat\$3 or creat\$3 or customiz\$5 or modifi\$5 or modify\$3))	USPAT; DERWENT; IBM TDB	2002/08/19 15:58
	2	('America Online, inc.' .as.) and (interactive with (generat\$3 or creat\$3 or customiz\$5 or modifi\$5 or modify\$3))	USPAT; DERWENT; IBM TDB	2002/08/19 15:58
_	28	'America Online, inc.' .as.	USPAT; DERWENT; IBM TDB	2002/08/19 16:00
_	0	5734853.pn. and web\$4	USPAT; DERWENT; IBM TDB	2002/08/19 18:24
_	1	5734853.pn. and (game or score\$1)	USPAT; DERWENT; IBM TDB	2002/08/19 18:26
_	0	5734853.pn. and (context)	USPAT; DERWENT; IBM TDB	2002/08/19 19:54
-	1	5734853.pn. and (frame)	USPAT; DERWENT; IBM TDB	2002/08/19 20:16
_	1	5734853.pn. and VBI	USPAT; DERWENT; IBM TDB	2002/08/19 20:17
-	1	5734853.pn. and ('vertical blanking interval' or VBI)	USPAT; DERWENT; IBM TDB	2002/08/19 20:18
_	110	<pre>(creat\$3 or generat\$3 or modify\$3 or customiz\$4 or edit\$3) with web\$1page\$</pre>	USPAT; DERWENT; IBM TDB	2002/08/19 21:18
-	5	<pre>((creat\$3 or generat\$3 or modify\$3 or customiz\$4 or edit\$3) with web\$1page\$) same (active or interactive or graphical or selectable)</pre>	USPAT; DERWENT; IBM_TDB	2002/08/19 21:51
-	2	5983245.pn.	USPAT; DERWENT; IBM TDB	2002/08/19 22:14
-	0	5983245.pn. and (e\$1mail or chat\$4 or IM or 'instant messag\$4')	USPAT; DERWENT; IBM TDB	2002/08/20 12:54

-	4	("5734853" or "6268849").pn.	USPAT; DERWENT;	2002/08/20 12:54
-	13	("6177930" "6256785" "6496981" "6035304" "5929849" "5537153" "5452012" "6124854"	IBM_TDB USPAT	2003/01/27 18:58
		"5559949" "6035304" "5537153" "6191782" "6182072" "5236199" "5987509"	W.	
1		"55241956298482").pn.		/ /
-	793 8	graphic near2 symbol (graphic near2 symbol)same (inter\$lactive	USPAT USPAT	2003/01/27 18:59 2003/01/27 19:05
	500	or hot\$1spot\$1)	поруш	2002/01/27 10:05
-	503 47	microsoft.as. and interactive and	USPAT USPAT	2003/01/27 19:05 2003/01/27 19:16
	227	725/\$.ccls. 'United States' near2 map	USPAT	2003/01/27 19:17
_	1	6496981.pn.	USPAT; US-PGPUB;	2003/02/06 21:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6496981.pn. and trigger\$3	USPAT;	2003/02/07 09:44
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	6496981.pn. and visible	USPAT;	2003/02/07 09:58
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	6496981.pn. and cue\$2	USPAT;	2003/02/07 11:37
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	0		IBM TDB	
-	0	6496981.pn. and (e\$mail or chat)	USPĀT;	2003/02/07 14:15
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	421	((hot\$2spot\$1 or hyper\$2link\$1) with	USPAT;	2003/02/07 14:17
		(chang\$3 or modif\$6))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	26	((hot\$2spot\$1 or hyper\$2link\$1) with	USPAT;	2003/02/07 14:32
		(chang\$3 or modif\$6))same (chat\$3 or IM or	US-PGPUB;	
		e\$1mail)	EPO; JPO; DERWENT;	
		·	IBM TDB	
-	4	(((hot\$2spot\$1 or hyper\$2link\$1) with	USPAT;	2003/02/07 16:48
		(chang\$3 or modif\$6))same (chat\$3 or IM or e\$1mail)) and (@ad<=19990803 or	DERWENT; IBM TDB	
		esimall)) and (ead<=19990803 or ended=19990803 or	TDM_TDB	
-	409	((hot\$2spot\$1 or hyper\$2link\$1 or	USPAT;	2003/02/07 14:43
		((interactive or selectable) near2	US-PGPUB;	
		(button\$1 or icon\$1 or region or area))) with (chat\$3 or IM or e\$1mail))	EPO; JPO; DERWENT;	
		with (chatys of the of edingili)	IBM TDB	
-	13	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPĀT;	2003/02/07 14:46
		((interactive or selectable) near2	US-PGPUB;	
		(button\$1 or icon\$1 or region or area))) with (chat\$3 or IM or e\$1mail))same	EPO; JPO; DERWENT;	
		((chang\$3 or updat\$3 or modif\$7) with	IBM TDB	
		(appear\$6 or display\$3 or status or	_	
	402	state\$1))	HCDAM.	2002/02/07 14-52
_	481	(hot\$2spot\$1 or hyper\$2link\$1 or ((interactive or selectable) near2	USPAT; US-PGPUB;	2003/02/07 14:53
		(button\$1 or icon\$1 or region or	EPO; JPO;	
		area)))same ((chang\$3 or updat\$3 or	DERWENT;	
		modif\$7) with (appear\$6 or display\$3 or	IBM_TDB	
	l	status or state\$1))	<u> </u>	I

-	20602	((on\$1line or log\$5 or active) with (off\$1line or off or inactive)) with (condition or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/07 14:48
_	3	((interactive or selectable) near2 (button\$1 or icon\$1 or region or area))) with (chat\$3 or IM or e\$1mail))same	IBM_TDB USPAT; DERWENT; IBM_TDB	2003/02/07 14:53
_	14	((chang\$3 or updat\$3 or modif\$7) with (appear\$6 or display\$3 or status or state\$1))) and (@ad<=19990803 or @rlad<=19990803) ((hot\$2spot\$1 or hyper\$2link\$1 or	USPAT;	2003/02/07 14:51
		<pre>((interactive or selectable) near2 (button\$1 or icon\$1 or region or area)))same ((chang\$3 or updat\$3 or modif\$7) with (appear\$6 or display\$3 or status or state\$1))) and (((on\$1line or log\$5 or active) with (off\$1line or off or inactive))with (condition or status or state))</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	1	<pre>(((hot\$2spot\$1 or hyper\$2link\$1 or ((interactive or selectable) near2 (button\$1 or icon\$1 or region or area)))same ((chang\$3 or updat\$3 or modif\$7) with (appear\$6 or display\$3 or status or state\$1))) and (((on\$1line or log\$5 or active)) with (off\$1line or off or inactive))with (condition or status or state))) and (@ad<=19990803)</pre>	USPAT; DERWENT; IBM_TDB	2003/02/07 17:54
_	29	((hot\$2spot\$1 or hyper\$2link\$1 or ((interactive or selectable) near2 (button\$1 or icon\$1 or region or area)))same ((chang\$3 or updat\$3 or modif\$7) with (appear\$6 or display\$3 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 14:53
-	7	status or state\$1))) and 725/\$.ccls. (((hot\$2spot\$1 or hyper\$2link\$1 or ((interactive or selectable) near2 (button\$1 or icon\$1 or region or area)))same ((chang\$3 or updat\$3 or modif\$7) with (appear\$6 or display\$3 or status or state\$1))) and 725/\$.ccls.) and (@ad<=19990803 or @rlad<=19990803)	USPAT; DERWENT; IBM_TDB	2003/02/07 16:54
-	900	game\$1 with (occuring or currently) and (@ad<=19990803 or @rlad<=19990803)	USPAT; DERWENT; IBM TDB	2003/02/07 15:06
_	0	((game\$1 with (occuring or currently) same colo\$4) and (@ad<=19990803 or @rlad<=19990803)) and 725/\$.ccls.	USPAT; DERWENT; IBM TDB	2003/02/07 15:07
-	50	(game\$1 with (occuring or currently) same colo\$4) and (@ad<=19990803 or @rlad<=19990803)	USPAT; DERWENT; IBM TDB	2003/02/07 15:12
_	11	shoff.in. and interactive	USPAT; DERWENT; IBM TDB	2003/02/07 16:05
_	5	<pre>shoff.in. and interactive and (chat\$3 or e\$1mail or message\$3)</pre>	USPAT; DERWENT; IBM TDB	2003/02/07 16:09
-	1192	((epg or ipg) or ((program or schedule or menu) near2 (guide or listing or menu or data)))same interactive	USPAT; DERWENT; IBM TDB	2003/02/07 16:44
_	117	((epg or ipg) or ((program or schedule or menu) near2 (guide or listing or menu or data)))same interactive same (sport\$1 or game\$1)	USPAT; DERWENT; IBM_TDB	2003/02/07 16:46
	56	((epg or ipg) or ((program or schedule or menu) near2 (guide or listing or menu or data)))same interactive same (sport\$1 or game\$1) and color\$1	USPAT; DERWENT; IBM_TDB	2003/02/07 16:46

_	19	<pre>((epg or ipg) or ((program or schedule or menu) near2 (guide or listing or menu or data)))same interactive same (chat or IM or e\$1mail)</pre>	USPAT; DERWENT; IBM_TDB	2003/02/07 16:46
-	4	((epg or ipg) or ((program or schedule or menu) near2 (guide or listing or menu or data))) with interactive with (chat or IM or e\$1mail)	USPAT; DERWENT; IBM_TDB	2003/02/07 16:47
-	. 12		USPAT; DERWENT; IBM_TDB	2003/02/07 16:48
_	54	(((epg or ipg) or ((program or schedule or menu) near2 (guide or listing or menu or data)))same interactive same (sport\$1 or game\$1) and color\$1) and (@ad<=19990803 or @rlad<=19990803)	USPAT; DERWENT; IBM_TDB	2003/02/07 17:12
_	21768	((log\$4 or off\$1line or inactive) same (('not' adj log\$4) or on\$line or active))same (state\$1 or status)	USPAT; DERWENT; IBM TDB	2003/02/07 17:49
-	107	<pre>((log\$4 or off\$1line or inactive) same (('not' adj log\$4) or on\$line or active))same (state\$1 or status) same (hot\$1pot\$1 or hyper\$2link\$1 or interactive)</pre>	USPĀT; DERWENT; IBM_TDB	2003/02/07 18:06
-	91	<pre>(((log\$4 or off\$1line or inactive) same (('not' adj log\$4) or on\$line or active))same (state\$1 or status) same (hot\$1pot\$1 or hyper\$2link\$1 or interactive)) and (@ad<=19990803 or @rlad<=19990803)</pre>	USPAT; DERWENT; IBM_TDB	2003/02/07 17:57
_	12	(((log\$4 or off\$1line or inactive) same (('not' adj log\$4) or on\$line or active))same (state\$1 or status) same (hot\$1pot\$1 or hyper\$2link\$1 or interactive)) same (provider\$1 or server\$1 or source\$1 or head\$1end) and (@ad<=19990803 or @rlad<=19990803)	USPAT; DERWENT; IBM_TDB	2003/02/07 17:58
	3356		USPAT; DERWENT; IBM TDB	2003/02/07 18:37
_	3116	<pre>(((logged or off\$1line or inactive) same (('not' near2 log\$4) or on\$1line or active))with indicat\$3) same (hot\$1spot\$1</pre>	USPAT; DERWENT; IBM_TDB	2003/02/07 18:37
-	. 0	or hyper\$1link\$1 or active or interactive) ((logged or off\$1line or inactive) same (('not' near2 log\$4) or on\$1line or active))with indicat\$3 with (hot\$1spot\$1 or hyper\$1link\$1 or interactive)	USPAT; DERWENT; IBM_TDB	2003/02/07 18:38